

Uploading Docs

Last Modified on 09/04/2026 11:08 am EDT

Drag a stack of PDFs in or pick them from your computer — docs go straight onto a transaction, or into Unassigned to file later.

Introduction

Sometimes the paperwork is already sitting on your computer and there's nothing to forward. Uploading is the direct route in: open the upload screen, drag a stack over or pick the files by hand, and they're in.

Where they land is the one decision you make. Upload from inside a transaction and the docs attach to it right away, which is what you want when you already know where they belong. Upload from the *Unassigned Docs* page and they wait in the queue until somebody files them, which is the better move when the transaction doesn't exist yet, or when you aren't the person who decides where things go.

Paperwork lands in the system in about the time it takes to drag it over, with no forwarding step and nothing to wait on. Big sets go up in batches rather than in one pass, so a fat closing packet takes a couple of goes. That's a limit on how many files move at once, not on how many a transaction can hold, which is the thing most people assume the first time they meet it.

How It Works

One upload screen, two destinations, and a few limits worth knowing before you start.

Two Places a Doc Can Land

Uploading from a transaction puts the doc on that transaction immediately, and you pick its permission category as part of the upload. Uploading from the *Unassigned* page puts the doc in the holding queue instead, where it stays until it's assigned to a transaction.

Drag Over or Click to Choose

The upload screen accepts either. Drag files onto the **Drag docs here** area from a second window, or click **Click to choose docs from your computer** and pick them from a file browser. Pipeline lists what you selected so you can check it before you commit.

Twenty-Five Docs at a Time

A single upload takes up to 25 docs. There's no cap on how many docs a transaction can hold in total — larger batches go up 25 at a time. The per-upload limit is there to keep uploads fast and reliable.

Uploading to Unassigned Asks for a Location

When you upload into Unassigned, you choose the location the docs belong to. That's how the queue stays organized for accounts running more than one office — a doc sits in the queue for the location you uploaded it to.

What Pipeline Accepts

PDFs are the safe answer everywhere. Some offices turn on a setting that accepts PDFs only, and in those accounts Pipeline rejects any other file type on the way in. Ask your office admin if you're not sure how yours is set.

Who Can Upload

The **Upload Docs** permission controls uploading, and you grant it per location — not per transaction. If you can't see an upload button on a transaction, you don't have **Upload Docs** in that transaction's location, even if you're an agent on the deal.

Upload Docs to a Transaction

Add docs straight to a transaction, naming each one and choosing who can see it as you go.

Who Can Do This: Anyone with **Upload Docs** permission in the transaction's location.

To upload docs to a transaction:

1. Open the transaction, then click [Upload Docs] from the left menu.
2. Drag your files onto the **Drag docs here** area, or click **Click to choose docs from your computer** and select them. Pipeline lists what you picked.
3. Confirm each doc's name.
4. Choose a permission category for each doc. This decides who can see it, and you can review what each category covers as you select it.
5. Click [Upload Docs].

The docs appear in the transaction's *Documents* section, grouped under the permission category you chose.

Upload Docs to Unassigned

Put docs into the holding queue when you don't know the transaction yet, or when filing them is someone else's job.

Who Can Do This: Anyone with **Upload Docs** permission in at least one location.

To upload docs to Unassigned:

1. Click [Unassigned] from the top menu.
2. Click [Upload Docs] from the left menu.
3. Drag your files onto the **Drag docs here** area, or click **Click to choose docs from your computer** and select them.
4. Select the location the docs belong to.
5. Click [Upload Docs].

Your docs show up on the *Unassigned* page, ready to be assigned to a transaction.

Upload a Newer Version Without Deleting the Old One

The instinct when a signed copy arrives is to delete the draft and put the new file in its place. You don't have to. Give the new copy the same name the old one already has and the transaction takes care of the rest.

Docs that share a base name fold into a single group on the transaction, with the newest version up front and every other version tucked behind it.

See [Doc Name Grouping](#)

Uploading Docs FAQ

Uploading takes up to 25 docs at a time, and where they land depends on whether you started from a transaction or from Unassigned. Answers to the common questions about file types, batch limits, permissions, and why an upload button might be missing.

See [Uploading Docs FAQ](#)
